Power platform App in a Day

Module 5: Power BI

Hands-on Lab Step-by-Step

February 2019

Contents

Power BI	1
Lab Prerequisites	1
About Power BI	1
Exercise 1: Install Power BI Desktop	2
Task 1: Download and install Power BI Desktop	2
Exercise 2: Import historical data	4
Task 1: Import past orders into Common Data Service	4
Exercise 3: Connect and reference data	13
Task 1: Connect Power BI to the CDS Data	13
Task 2: Clean up and Transform	18
Task 3: Add Device Manufacturer Data	24
Exercise 4: Setup Relationships and Calculated Columns	26
Task 1: Manage Relationships	26
Task 2: Add Link to the Common Data Service (CDS) Record Form	30
Task 3: Add a Calculated Field for approval time	35
Exercise 5: Add visuals to the report	39
Task 1: Add Stacked Bar Chart of orders	39
Task 2: Add a Slicer on Approval Status	39
Task 3: Add Cards with Device Order statistics	40
Task 4: Add a Donut Chart by Manufacture	43
Task 5: Add a Tree Map by Device Name	44
Task 6: Format the Statistics Cards	45
Task 7: Arrange the visuals on the report page	46
Exercise 6: Publish and Share	47
Task 1: Publish and Share	47
Copyright	49

Power Bl

Lab Prerequisites

This is the fifth lab in a five-part series covering PowerApps, Common Data Service, Flow and Power BI. The assumption is that you have successfully completed the first four modules, or at least the initial part of setting up an environment as described in the overview – "00-AppInADay Lab Overview.pdf".

If you have not completed the previous modules, you can use the completed version of the lab package in the "Completed Module4 Completed Solution" folder. Follow the instructions in the document "Complete Solution" before proceeding with this module, which will provision the app and the Common Data Service entity into your environment.

About Power Bl

<u>Power BI</u> is a suite of business analytics tools that deliver insights throughout your organization. In this lab, we will be using Power BI to visualize data from the device procurement process. Power BI can connect to hundreds of data sources and prepare the data for use. In this lab, you will be using the Common Data Service and the Excel connectors.


Exercise 1: Install Power BI Desktop

In this exercise you will install the Power BI Desktop application. **If you already have the application installed, you may skip to Exercise 2.**


Task 1: Download and install Power BI Desktop

In this task, you will download and install Power BI Desktop.

1. Navigate to https://www.microsoft.com/en-us/download/details.aspx?id=45331 and click Download.




2. Select the appropriate version for your computer and click Next.



3. Click Run.



4. Click Next.




5. Follow the installation wizard and complete the installation.

Exercise 2: Import historical data


Task 1: Import past orders into Common Data Service

Since you probably only input four or five device orders when testing the PowerApp you built in the prior modules we need more test data to report on. To make the Power BI Analytics more interesting we need some additional data. In this task you will be importing some historical orders into the CDS Device Orders entity.

1. From https://web.powerapps.com log in to your existing PowerApps Environment that has your CDS data that you have used for the prior labs. Select your environment and expand **Data**.




2. Select **Option Sets** and click on the **Approval Status**.




3. Click the ... button of the Approve option and select View More.




4. Copy the Value.




5. Go to the resources folder of the module and open the Historical Device Order Excel file




6. Click Find and select Replace.




7. Enter 476290000 for Find, type the Value you copied (without the commas) in the Replace field, and click Replace All




8. Click OK.




9. Go back to PowerApps, click on the ellipses button of the Reject option, and select View More.




10. Copy the Value again.



11. Go back to the Excel file, type 476290001 on the find filed, the value you copied (without the commas) in the replace field, and click Replace All.



12. Click Ok.




- 13. Close the Find and Replace dialog.
- 14. Save the Excel file and close it.

Note: The reason we are doing this is due to each environment having a unique publisher prefix, when you created your solution the values of the option set are prefixed based on that value. Currently the import process we are going to use requires the numeric value and not the label value so it must be adjusted.


15. Go back to the PowerApps and close the Option Set edit window.



16. There are many options available to get data into CDS. We are going to import from an Excel file. Select **Entities** click **Get Data** and select **Get Data From Excel**.




17. Scroll down the list of entities and choose **Device Orders**




18. Scroll back up and in the upper right corner click Next




19. Click Upload to open the file browser



20. Select the Historical Device Orders Excel file.




21. After the file upload is complete it will show mapping errors, Click Map fields



22. Map the following fields

Device Order fields	Source values	
Approval Status Value	Approval Status	
Approval Date	Approval Date	
Approver	Approver	
Comments	Comments	
Device Name	Device Name	
Price	Price	
Process ID	Select None to un map	
Request Date	Request Date	
Request By	Request By	


23. Change the Show: dropdown to Mapped fields to show only the fields you have mapped. Confirm your list matches the list show in the image.




24. Confirm that Process Id is not mapped to Approved Date, if it is then un map it by selecting None.



25. Click **Save changes** to proceed. You may still have an Error and a Warning that is ok



26. Click Import to begin the import of the historical data



27. This should take a couple of minutes to complete - while processing you should see the following



28. Once the import has completed you should see the following



29. If for some reason the import wasn't successful, download the log file and review. Most common cause is an improper mapping of a field type. If that happens just start this task again as it doesn't retain your mappings.


Exercise 3: Connect and reference data

In this exercise, you will connect to the Common Data Service using a connector. You will then be referencing the data from the device procurement process that you will use to build the visualizations. This includes selecting only the data that is useful to help have a easy to use data set to work with.


Task 1: Connect Power BI to the CDS Data

In this task, you will get data from your Common Data Service.


1. Start Power BI Desktop application and click Sign in.



- 2. Provide your credentials and sign in.
- 3. Close the splash screen.




4. Click Get Data and select More...




5. Search for Common Data Service for Apps, select it, and click Connect.



6. Continue past the connector Preview warning.




- 7. Navigate to https://admin.powerplatform.microsoft.com/ and select Environments.
- 8. Select your environment and click **Open Environment**.




9. Copy the base part of the URL




10. Go back to Power BI Desktop, paste the URL you copied into the Server URL field, type **true** in the Add Display Column field, and click OK.




- 11. If you are prompted to sign in, click Sign in and provide your credentials.
- 12. Click Connect.




13. Expand Entities.




14. Select _**DeviceOrder** and **SystemUser** Note: it will be in the format of cprefix>_DeviceOrder where the prefix will be different in each environment.




15. Expand **System** and select **new_DeviceProcurementProcesses**.



16. Click Edit.




17. Your data will now be available in the Power Query Editor.




Task 2: Clean up and Transform


1. Right click on the **System User** table and click **Rename**.




2. Rename the table from SystemUser to User.



3. Rename the **DeviceOrder** table to **Device Order** and the **DeviceProcurementProcesses** to **Device Procurement Processes**. Your table names will now look like the image below.



- 4. Next, we are going to remove columns from our query on the Device Order entity to make it fewer columns we need to work with.
- 5. Select the Device Order table and click Choose Columns. *Alternatively, you can also select the column header in the grid while holding the Ctrl key and then select the columns, then right-click and select Remove Other columns.*



- 6. Un check the select all columns
- 7. Select the columns listed below and click OK. Note: the action names will be in the format of refix>_<name>.

The following are the names

Approvalstatus_display

Approveddate

Approver

Departmentcontribution


Devicename

Deviceorderid


Price

Requesteddate


Requestedby



8. Right click on the Approvalstatus_display and click Rename.



9. Rename the column Approval Status.




10. Rename the rest of the columns as shown below. You may rename other fields if you have time but not required for the lab.


Current Name	New Name
approveddate	Approved Date

approver	Approver
departmentcontribution	Department Contribution
devicename	Device Name
deviceorderid	Device Order
price	Price
requestdate	Requested Date
requestedby	Requested By


11. Select the User table and click Choose Columns.




- 12. Uncheck Select All Columns
- 13. Select **domainname**, **fullname** and click **OK**. Tip: Using Search can speed up finding the columns.




- 14. Rename the **domainname** column **Email** and the **fullname** column **User**.
- 15. Click Sort on the **Email** column.



16. Click Remove Empty.



17. Select the **Device Procurement Process** table and click **Choose Columns**.



- 18. Uncheck the Select All Columns
- 19. Select the columns listed below and click OK.

Bpf_name

_processid_value

Completedon

Businessprocessflowinstanceid

_bpf__CRC69_deviceorderid_value (Note: the CRC69 might be different in your list)


Activestageid

20. Rename the fields as shown below. You may rename the other fields.

Current Name	New Name
Bpf_name	Name

_processid_value	Process
Businessprocessflowinstanceid	Device Procurement Process
_bpfCRC69_deviceorderid_value (Note: the CRC69 might be	Device Order
different in your list)	
Activestageid	Active Stage Id


21. Expand the Active Stage column. This will allow us to select one or more values from the related entity.



22. Select stagename and click OK.




23. Rename the column to Active Stage.




Task 3: Add Device Manufacturer Data


1. Select the Home tab, click New Source, and select Excel.




2. Select the Device Manufacturer Data (Device Order Data.xlsx) file provided to you and click Open.



Select the **Devices** and **Manufacturers** tables and click OK.




4. Click Close and Apply.



Note: Power Query has a lot of powerful transformations that can be done including trimming, replacing values, transpose, change data type, and many more. Each of these transformations are built as an M query that is applied each time you refresh the data. You can see the query that is built by clicking on the Advanced Editor button.

5. The Power Query editor will close, and you will be back on the Power BI Desktop.




Exercise 4: Setup Relationships and Calculated Columns


Task 1: Manage Relationships

In this task, you will establish the relationships between the data. You will notice auto detection identifies a couple of relationships within the data. In this task you will be establishing the remaining relationships.


1. Select **Relationships** from the left side navigation.




Double click the **Devices to Manufacturers** autodetected relationship and it will load the Edit relationship page.
Here you can see the settings on the relationship and make any changes that was required to existing
relationships.




3. Click Cancel to close the page.




4. Reposition the table as shown in the image below, so it will be easier to visualize the relationships.




5. Drag the Email column of the User table to the Device Order table and release it.




- 6. A One to Many relationship will be created. Double click on the new relationship to edit the properties
- 7. Select Requested By from the Device Order table, Email from User table and click OK. Note: Yes the Requested By should also have e-mails in order for them to match, this is just different in the historical data you imported and won't impact your results in this lab.




8. Drag Device Order column from the Device Order table and drop it in the Device Procurement Processes table.



- 9. A new relationship will be created. Double click on the new relationship to edit the properties.
- 10. Select the Device Order column for both tables.
- 11. Change the Cardinality to One to one, if it is not already set and then click OK.




12. Your relationships will now look like the image below.



Task 2: Add Link to the Common Data Service (CDS) Record Form

A common ask when building a Power BI visual of CDS data is to allow the user to open the record using the CDS form. In this task you will build a column that will be a link to directly open the record.

1. Select Data.



2. Right click on the Device Order table and select New Column.



3. Provide the function below to build the column value. This needs to be adjusted to match your organization url and entity type name that can vary from environment to environment, for now paste it in exactly like you have below


Link =

"https://orgb0a32835.crm.dynamics.com/main.aspx?etn=crc69_deviceorder&pagetype=entityrecord&id=%7B"&'Device Order'[Device Order]&"%7D"

4. Now get your organization URL, you can get this from https://admin.powerplatform.microsoft.com by selecting the environments and then ... and then open copy the url and replace it in the function




5. Next, we need to get the entity schema name for Device Order. You can get that by going to web.powerapps.com -> Data, select the Device Order entity and click the Settings button




6. If your value is different than what is in the Link function replace that in Power BI. This value can vary from environment to environment




7. Select the new column and from the Modeling tab click Data Category.




Select Web URL.




9. Select Reports.




10. Expand the Device Order table and select Requested By.




11. Select Approver, Approval Status, Price, Device Name, and Link form the Device Order table.




12. Select the Format tab



13. Select the Link column and from the Format tab, expand Values.



14. Turn on the URL Icon.




15. Click on the link. Your CDS record should open.



Task 3: Add a Calculated Field for approval time


In this task, you will add a calculated column with the approval time inn days, you will add a column chart to the report page.

1. Right click on the Device Order table and select New Column.




2. Type in the formula bar.

Approval Time in Days = DATEDIFF('Device Order'[Requested Date],'Device Order'[Approved Date],DAY)




3. Select the canvas and make sure the list of orders is no longer selected and click **Clustered Bar Chart**.




4. Select the chart you added, drag the Approver column and drop it in the Axes target.




5. Drag Approval Time in Days to the Value target and drag Device Order to the Tooltip target.




6. Click on the dropdown button next to the First Device Order.




7. Select Count.




8. Click on the dropdown button next to the Approval Time in Days.



9. Select Average.



10. Click on the chart ellipses(the ...), click Sort By, and select Count of Device Order.




11. Your chart will now look similar to the image below. It may not look exactly like it though...




Exercise 5: Add visuals to the report

Task 1: Add Stacked Bar Chart of orders

1. Select an empty area of the canvas and click ok the Stacked Bar Chart.




2. Select the columns below for the stacked bar chart. Note: Your chart may not look the same based on how many rejected you have in your data. You can edit the records in CDS and reject more if you want!




Task 2: Add a Slicer on Approval Status

1. Select an empty area of the canvas and click Slicer.




2. Drag the Approval Status to the Field target.




Task 3: Add Cards with Device Order statistics


1. Select an empty area of the canvas and click Card.




2. This card will show the total count of devices ordered. Select the card and drag Device Order to the Fields target.




3. Select Count.




- 4. Add another Card to the canvas. This card will display total amount spent on approved devices.
- 5. Drag the Price to the Fields target
- 6. Drag the Approval Status to the Visual Level target.




7. Select Approve to filter the amount only to those orders that are approved.



- 8. Add one more Card to the canvas.
- 9. This card will show total approved devices. Drag Device Order to the Fields target and select Count.




10. Drag Approval Status to the Visual Level target and select Approve.




Task 4: Add a Donut Chart by Manufacture

In this task, you will add a Donut to represent the amount spent by manufacture. This can provide a quick visual way of allowing the CFO or other financial management staff to look at which manufactures they want to negotiate better pricing with. You can also click on a segment of the donut to filter the rest of the page to just that manufacture.

1. Add a Donut Chart to the canvas.




2. Drag **Title** from the **Manufacturers** table to the Legend target and **Price** from the **Devices** table to the Values target.





Task 5: Add a Tree Map by Device Name

1. Add Tree Map visual to the canvas.




2. Drag **Memory** from the Device table to the **Group target**, Device Order from Device Order table to the Values target, and Device Order to the Color Saturation.






Task 6: Format the Statistics Cards

1. Select the Count of Device Order card and click Rename.




2. Rename it Devices Ordered.



3. You may rename other visuals as you see appropriate.

Task 7: Arrange the visuals on the report page


4. Arrange Visuals on the report page as shown in the image below.




Exercise 6: Publish and Share

Task 1: Publish and Share


- 1. Make sure you are logged in in your environment.
- 2. Click Save.
- 3. Name the report Device Order Report and save it on your machine.
- 4. Click Publish.




5. Click Open in Power Bl.




6. Click Sign in.




7. Click Share.



8. You can share with any user in your organization.



From with in PowerBI.Com you can also add the report visualizations to an existing dashboard or create a new dashboard



You can also embed the Power BI Visualizations in a personal dashboard in CDS. You can read more about that here https://docs.microsoft.com/en-us/dynamics365/customer-engagement/admin/use-power-bi#embed--visualizations-on-personal-dashboards if you have time give it a try!

Copyright

© 2018 Microsoft Corporation. All rights reserved.

By using this demo/lab, you agree to the following terms:

The technology/functionality described in this demo/lab is provided by Microsoft Corporation for purposes of obtaining your feedback and to provide you with a learning experience. You may only use the demo/lab to evaluate such technology features and functionality and provide feedback to Microsoft. You may not use it for any other purpose. You may not modify, copy, distribute, transmit, display, perform, reproduce, publish, license, create derivative works from, transfer, or sell this demo/lab or any portion thereof.

COPYING OR REPRODUCTION OF THE DEMO/LAB (OR ANY PORTION OF IT) TO ANY OTHER SERVER OR LOCATION FOR FURTHER REPRODUCTION OR REDISTRIBUTION IS EXPRESSLY PROHIBITED.

THIS DEMO/LAB PROVIDES CERTAIN SOFTWARE TECHNOLOGY/PRODUCT FEATURES AND FUNCTIONALITY, INCLUDING POTENTIAL NEW FEATURES AND CONCEPTS, IN A SIMULATED ENVIRONMENT WITHOUT COMPLEX SET-UP OR INSTALLATION FOR THE PURPOSE DESCRIBED ABOVE. THE TECHNOLOGY/CONCEPTS REPRESENTED IN THIS DEMO/LAB MAY NOT REPRESENT FULL FEATURE FUNCTIONALITY AND MAY NOT WORK THE WAY A FINAL VERSION MAY WORK. WE ALSO MAY NOT RELEASE A FINAL VERSION OF SUCH FEATURES OR CONCEPTS. YOUR EXPERIENCE WITH USING SUCH FEATURES AND FUNCTIONALITY IN A PHYSICAL ENVIRONMENT MAY ALSO BE DIFFERENT.

FEEDBACK. If you give feedback about the technology features, functionality and/or concepts described in this demo/lab to Microsoft, you give to Microsoft, without charge, the right to use, share and commercialize your feedback in any way and for any purpose. You also give to third parties, without charge, any patent rights needed for their products, technologies and services to use or interface with any specific parts of a Microsoft software or service that includes the feedback. You will not give feedback that is subject to a license that requires Microsoft to license its software or documentation to third parties because we include your feedback in them. These rights survive this agreement.

MICROSOFT CORPORATION HEREBY DISCLAIMS ALL WARRANTIES AND CONDITIONS WITH REGARD TO THE DEMO/LAB, INCLUDING ALL WARRANTIES AND CONDITIONS OF MERCHANTABILITY, WHETHER EXPRESS, IMPLIED OR STATUTORY, FITNESS FOR A PARTICULAR PURPOSE, TITLE AND NON-INFRINGEMENT. MICROSOFT DOES NOT MAKE ANY ASSURANCES OR REPRESENTATIONS WITH REGARD TO THE ACCURACY OF THE RESULTS, OUTPUT THAT DERIVES FROM USE OF DEMO/ LAB, OR SUITABILITY OF THE INFORMATION CONTAINED IN THE DEMO/LAB FOR ANY PURPOSE.

DISCLAIMER

This demo/lab contains only a portion of new features and enhancements in Microsoft PowerApps. Some of the features might change in future releases of the product. In this demo/lab, you will learn about some, but not all, new features.